## IN THE UNITED STATES DISTRICT COURT FOR THE WESTERN DISTRICT OF PENNSYLVANIA

IN RE: PHILIPS RECALLED CPAP,
BI-LEVEL PAP, AND MECHANICAL
VENTILATOR PRODUCTS
LITIGATION

Master Docket: No. 21-mc-1230-JFC

Senior United States District Judge

MDL No. 3014

**This Document Relates to:** 

:

Consolidated Second Amended Class Action Complaint for Medical Monitoring and Demand for Jury Trial (ECF No. 815)

:

## [PROPOSED] ORDER GRANTING PHILIPS RS NORTH AMERICA LLC'S MOTION FOR LEAVE TO FILE REPLY

AND NOW, this	day of	, 2024, upon consideration of
Philips RS North America LL	C's Motion for Leave to	o File Reply in Support of its Objections to
Special Discovery Master's Ro	eport and Recommenda	tion and Proposed Order re: Discovery of
Medical Monitoring Plaintiffs	' Medical Histories and	Previous Exposures to Hazardous
Substances (the "Motion for L	eave to File Reply"), it	is <b>HEREBY ORDERED</b> that the Motion
for Leave to File Reply is <b>GR</b>	ANTED.	
	<del>-</del>	IONODARI E IOV ELOWERS CONTI